



ANNEXURE B 1 / AANHANGSEL B.1

FENCING SUBSIDY APPLICATION REPORT TO THE DISTRICT ROADS ENGINEER: REPLACEMENT OF DAMAGED / POOR FENCING AND GATES <i>(Please provide a separate form for each road on the application)</i>					
Mr/Ms					
Date of application					
Address					
Cellular phone:					
Home telephone number:					
Work telephone number:					
E mail address :					
Road Name & Number:					
Distance to the left of the road					
From Km		To km		Sub-total	km
From Km		To km		Sub-total	km
From Km		To km		Sub-total	km
From Km		To km		Sub-total	km
Total Km to the left of the road					km
Distance to the right of the road					
From Km		To Km		Sub-total	km
From Km		To Km		Sub-total	km
From Km		To Km		Sub-total	km
From Km		To Km		Sub-total	km
Total Km to the right of the road					km
TOTAL DISTANCE IN KILOMETERS LEFT AND RIGHT					km
Number of grid gates that may be removed		Left			
Number of swing gates that may be removed		Left			
Number of grid gates that may be removed		Right			
Number of grid gates that may be removed		Right			
SPECIFY THE TYPE OF FENCING <i>(Mark with X)</i>		Stock-proof			
		Vermin-proof			
<i>Please note: Where vermin-proof fencing is applied for, an official letter from Cape Nature Conservation must accompany the application and motivation thereof.</i>					
Type of farming:					
Age of wire fencing (years)					
Date that wire fencing was erected (year)					
Have you received or requested funding through any other entity, e.g. disaster funds; claims from private insurance.					

1.	Stock-proof fences – 5 barbed wire and 4 smooth fencing wire with 5 droppers specification	
	6 rolls double barbed wire (840 m/roll)	
	3 rolls smooth fencing wire (1650x2.2mm steel	
	1 roll no 8 stay wire (500m x 4mm)	
	1 roll no 10 binding wire (2015m x 2mm)	
	125 tar poles	
	520 droppers	
2.	Vermin-proof fences – 3 x barbed wire, 3 x smooth fencing wire and wire netting with 5 droppers specification	
	20 rolls 75 mm x 50 m hexagonal wire netting (1.8 mm diameter galvanised mild steel 1.2m wide)	
	4 rolls double barbed wire (840m/roll)	
	2 rolls smooth fencing wire (1650mm x 2.2 mm steel)	
	1 roll no 8 stay wire (500 m x 4 mm)	
	1 roll no 10 binding wire (2015m x 2 mm)	
	125 tar poles	
	520 droppers	

For information only.

ANNEXURE A For information only

GARDEN ROUTE DISTRICT MUNICIPALITY : ROADS DEPARTMENT	
FENCING SUBSIDY	1 AUGUST 2019 – 30 JUNE 2020 1 JULY 2020 – 30 JUNE 2021
PROVINCIAL ROADS	Trunk roads, Main Roads, District roads and Minor roads
SPECIFICATIONS	
1. STOCK-PROOF FENCES	Treated poles (100-125mm in diameter and 2.10 metres in length) placed 10 metres apart with five (5) treated droppers (50-60mm in diameter and 1.50 metres long) between poles and five (5) barbed and four (4) smooth fencing wires.
SUBSIDY	1 August 2019 – 30 June 2020: <i>R32 000.00 per 1000 meters fencing erected (excl VAT) – All totals rounded off to the nearest R100.00.</i> 1 July 2020 – 30 June 2021: <i>R35 000.00 per 1000 meters fencing erected (excl VAT) – All totals rounded off to the nearest R100.00</i>
2. VERMIN-PROOF FENCES	Treated poles (100-125mm in diameter and 2.10 meters in length) placed 10 meters apart with five (5) treated droppers (50-60mm in diameter and 1.50 meters long) between poles and three (3) barbed and two (2) smooth fencing wires with 75mm hexagonal wire netting.
SUBSIDY	1 August 2019 – 30 June 2020: <i>R46 000.00 per 1000 meters fencing erected (excl VAT) – All totals rounded off to the nearest R100.00.</i> 1 July 2020 – 30 June 2021: <i>R51 000.00 per 1000 meters fencing erected (excl VAT) – All totals rounded off to the nearest R100.00</i>
Recommended fencing	Stock-proof fences
	Vermin-proof fences
RECOMMENDED BY SENIOR MANAGER : ROADS SERVICES DEPARTMENT	
SIGNATURE	DATE
COMMENTS: <i>Approved based on Council Resolution to subsidize the constructing of a standard fence and in practice this means that it will only entail the purchase price component of the fencing materials, labor and cost thereof shall be provided by applicant</i>	
APPROVED BY MUNICIPAL MANAGER	
SIGNATURE	DATE